

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## **IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

EAST - [golf cart:2]

File View Edit Tools Window Help

Pending

Active

- L1: (34560) 296/\$.ccls.
- L2: (64) 11 and (beam or frame) with channel with box
- L3: (134) (280/798).CCLS.
- L4: (223) (280/800).CCLS.
- L5: (5) 13 and 14
- L6: (1507) frame with tub\$ with channel
- L7: (712) frame with tubular with channel
- L8: (32) 17 and 296/\$.ccls.
- L9: (240) rectangular near2 (frame or beam) with channel near2 (
- L10: (96) 19 and alternativ\$
- L11: (1) 110 and 296/\$.ccls.
- L12: (7) 110 and 280/\$.ccls.
- L13: (1) ("6416136").PN.
- L15: (0) rectangular near2 (frame or beam) with channel near2 (f
- L14: (48) 19 and 52/\$.ccls.

Failed

- (0) ("296/214.ccls.-296/224.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.
- (0) 11 and (stop adj2 block))
- (0) M.E.D.

Search List Browse Queue

DBs USPA Plurals

Default operator: Highlight all hit terms initially

19 and 52/\$.ccls.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (18)

UDC

Queue

Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6658798 B1	20031209	8	Floor slot room extender	52/67
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6619714 B2	20030916	13	Expandable room with flat floor	296/26.
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6601896 B1	20030805	10	Bedroom slide out actuator with	296/26.
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6454336 B1	20020924	6	Narrow width slide-out room support system	296/26.
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6402216 B1	20020611	11	Above-floor travel tilt retractable room	296/26.
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6338523 B1	20020115	30	Sliding mechanisms and systems	296/175
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6116671 A	20000912	13	Low profile slide-out operating mechanism for	296/26.
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5902001 A	19990511	13	Expandable room flat floor system utilizing	296/26.
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4358133 A	19821109	7	Adjustable width trailer	280/656
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3722948 A	19730327	14	MULTI-TRANSPORT SYSTEM	296/35.
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5301997 A	19940412	7	Modular passenger compartment for motor	296/182
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4848835 A	19890718	13	Vehicle frame rail assembly and underbody	296/204
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6758535 B2	20040706	17	Lightweight, adjustable-height, axle	301/128
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6416136 B1	20020709	18	Lightweight, adjustable-height, axle	301/128

Hit Details HTML

Ready

[NUM]

EAST - [golf cart:2]

File

View

Edit

Tools

Window

Help

Pending

Active

Failed

L1: (34560) 296/\$.ccls.

L2: (64) 11 and (beam or frame) with channel with box

L3: (134) (280/798).CCLS.

L4: (223) (280/800).CCLS.

L5: (5) 13 and 14

L6: (1507) frame with tub\$ with channel

L7: (712) frame with tubular with channel

L8: (32) 17 and 296/\$.ccls.

L9: (240) rectangular near2 (frame or beam) with channel near2 (

L10: (96) 19 and alternativ\$

L11: (1) 110 and 296/\$.ccls.

L12: (7) 110 and 280/\$.ccls.

L13: (1) ("6416136").PN.

L15: (0) rectangular near2 (frame or beam) with channel near2 (f

L14: (48) 19 and 52/\$.ccls.

(0) ("296/214.ccls.-296/224.ccls.").CCLS.

(0) ("296/\$.ccls.").CCLS.

(0) ("296/\$.ccls.").CCLS.

(0) 11 and (stop adj2 block))

(0) M.E.D.

Search

List

Browse

Queue

DBs

USPA

Plurals

Default operator:

Highlight all hit terms initially

19 and 52/\$.ccls.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (18)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error I
1	BRS	L1	34560	296/\$.ccls.	USPA	2004/07/1		
2	BRS	L2	64	11 and (beam or frame) with channel w	USPA	2004/07/1		
3	IS&R	L3	134	(280/798).CCLS.	USPA	2004/07/1		
4	IS&R	L4	223	(280/800).CCLS.	USPA	2004/07/1		
5	BRS	L5	5	13 and 14	USPA	2004/07/1		
6	BRS	L6	1507	frame with tub\$ with channel	USPA	2004/07/1		
7	BRS	L7	712	frame with tubular with channel	USPA	2004/07/1		
8	BRS	L8	32	17 and 296/\$.ccls.	USPA	2004/07/1		
9	BRS	L9	240	rectangular near2 (frame or beam) with	USPA	2004/07/1		
10	BRS	L10	96	19 and alternativ\$	USPA	2004/07/1		
11	BRS	L11	1	110 and 296/\$.ccls.	USPA	2004/07/1		
12	BRS	L12	7	110 and 280/\$.ccls.	USPA	2004/07/1		
13	IS&R	L13	1	("6416136").PN.	USPA	2004/07/1		
14	BRS	L15	0	rectangular near2 (frame or beam) with	USPA	2004/07/1		
15	BRS	L14	48	19 and 52/\$.ccls.	USPA	2004/07/1		


Hits

Details

HTML

Ready

NUM



(6) "4014487"  
(827) ((293/120-122) or (293/109) or (293/136)).CCLS.  
(0) ("20030042714A1").PN.  
(1) ("20030042714").PN.  
(1) ("29916470").PN.  
(961) ((296/193.02) or (296/193.09) or (296/203.02) or (296/208)  
(726) ((296/208) or (296/70) or (296/72)).CCLS.  
(372) (296/208).CCLS.  
(0) ("0010599").PN.  
(0) ("0010599").PN.  
(0) ("BehrGMBH").PN.  
(3790) Behr  
(145) Behr and duct  
(5) (Behr and duct) and dash\$  
(0) (Behr and duct) and taper  
(1287772) (Behr and duct) water  
(12) (Behr and duct) and water  
(1111) masking and paint\$  
(941) masking and paint\$ and vehicle  
(131) paint with overspray and vehicle  
(825) painting with vehicle  
(100) (painting with vehicle) and masking  
(243) (296/155).CCLS.  
(200) floor near2 polisher  
(43) (floor near2 polisher) and cover  
(1) ("4114947").PN.  
(1046) ((296/65.01) or (296/65.05) or (297/326) or (297/335-336)  
(1) windshield near2 bosses  
(1) windshield near2 boss\$  
(22) "6019416"  
(1) ("6019416").PN.  
(1) ("6582009").PN.  
(1) ("6039383").PN.  
(1) ("5029032").PN.  
(1) ("5029932").PN.  
(509) ((296/107.07) or (296/107.16) or (296/107.17) or (296/108)  
(1) ("6158083").PN.  
(1) ("6158803").PN.  
(1) ("6568750").PN.  
(171) ((296/216.03) or (296/220.01)).CCLS.  
(1100) (296/26.01-26.15).CCLS.  
(9) ((296/26.01-26.15).CCLS.) and double\$ with (rail or beam)  
(131) 296/26.01  
(356) ((296/26.01) or (296/26.03) or (296/26.09) or (296/26.13))  
(0) 6702353.URPN.

Search List Browse Queue  
DBs USPAT  
☒ Highlight all hit terms initially

296/26.01  
296/26.03  
296/26.09  
296/26.13

- Drafts
- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (13)
- UDC
- Queue

	U	1	Document ID	Issue Dat	Page	Title	Current
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6116671 A	20000912	13	Low profile slide-out operating mechanism for	296/26.
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5902001 A	19990511	13	Expandable room flat floor system utilizing	296/26.
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4358133 A	19821109	7	Adjustable width trailer	280/656

Search List Browse Queue

DBs USPAT

☒ Highlight all hit terms initially

296/26.01

296/26.03

296/26.09

296/26.13

- |    | U                        | 1                                   | Document ID      | Issue Dat | Page | Title  | Current C |
|----|--------------------------|-------------------------------------|------------------|-----------|------|--|-----------|
| 1  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6619732<br>B2 | 20030916  | 18   | Motor vehicle roof                                 | 296/216.0 |
| 2  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 3797880<br>A  | 19740319  | 8    | EXTENDABLE VEHICLE BODY                            | 296/26.13 |
| 3  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5833296<br>A  | 19981110  | 17   | Motor-operated<br>slide-out drive system           | 296/26.13 |
| 4  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5758918<br>A  | 19980602  | 15   | Vehicle room slide-out<br>operating mechanism      | 296/26.13 |
| 5  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6658798<br>B1 | 20031209  | 8    | Floor slot room<br>extender                        | 52/67     |
| 6  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6619714<br>B2 | 20030916  | 13   | Expandable room with<br>flat floor                 | 296/26.13 |
| 7  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6601896<br>B1 | 20030805  | 10   | Bedroom slide out<br>actuator with adjustabl       | 296/26.13 |
| 8  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6454336<br>B1 | 20020924  | 6    | Narrow width slide-out<br>room support system      | 296/26.13 |
| 9  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6402216<br>B1 | 20020611  | 11   | Above-floor travel tilt<br>retractable room suppor | 296/26.14 |
| 10 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6338523<br>B1 | 20020115  | 30   | Sliding mechanisms and<br>systems                  | 296/175   |
| 11 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6116671<br>A  | 20000912  | 13   | Low profile slide-out<br>operating mechanism for   | 296/26.01 |
| 12 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5902001<br>A  | 19990511  | 13   | Expandable room flat<br>floor system utilizing     | 296/26.13 |
| 13 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 4358133<br>A  | 19821109  | 7    | Adjustable width<br>trailer                        | 280/656   |